

## Technical questionnaire

**potato**

**CPVO/TQ-023/3**

*Mandatory fields or sections are marked with an asterisk (\*)*

---

**01 . Botanical taxon: name of the genus, species or sub-species to which the variety belongs:**

- Solanum tuberosum* L.  
 Other species (please specify)

---

**02 . Application code:**

For office use only

---

**03 . Breeder's reference**

Breeder's Ref.

Breeder's Ref.

**04 . Information on the breeding scheme and propagation of the variety \***

**04 . 01 . Breeding scheme \***

*(this question could be confidential)*

seedling

Indicate parent varieties

mutation

Indicate parent variety

discovery

Indicate where, when and how the variety has been developed

other

Please specify

**04 . 02 . Method of propagation of the variety \***

**04 . 02.01 . Vegetative propagation \***

Tuber

other (state method)

**04 . 02.02 . Other information on the method of propagating the variety**

Please provide details

**05 . Characteristics of the variety to be indicated \***

(the number in brackets refers to the corresponding characteristic in the CPVO Technical Protocol; please mark the state of expression which best corresponds)

**05 . 01 . Lightsprout: proportion of blue in anthocyanin coloration at base (4) (G) \***

1 - absent or low

Arielle, Desiree, Solist, Victoria

2 - medium

Abbot, Pamina

3 - high

Agria, Avano



**05 . 02 . Flower corolla: intensity of anthocyanin coloration on inner side (27) (G) \***

- |   |                      |
|---|----------------------|
| <input type="radio"/> 1 - absent or very weak   | Solist               |
| <input type="radio"/> 2 - very weak to weak     |                      |
| <input type="radio"/> 3 - weak                  | Laura, Pirol, Secura |
| <input type="radio"/> 4 - weak to medium        |                      |
| <input type="radio"/> 5 - medium                | Quadriga, Osprey     |
| <input type="radio"/> 6 - medium to strong      |                      |
| <input type="radio"/> 7 - strong                | Courage, Valfi       |
| <input type="radio"/> 8 - strong to very strong |                      |
| <input type="radio"/> 9 - very strong           | Ramona               |

**05 . 03 . Flower corolla: proportion of blue in anthocyanin coloration on inner side (28) \***

- |   |                        |
|---|------------------------|
| <input type="radio"/> 1 - absent or low | Laura, Osprey          |
| <input type="radio"/> 2 - medium        | Courage, Secrua        |
| <input type="radio"/> 3 - high          | Pirol, Quadriga, Valfi |

**05 . 04 . Plant: time of maturity (31) \***

- |   |                  |
|---|------------------|
| <input type="radio"/> 1 - very early          | Christa, Solist  |
| <input type="radio"/> 2 - very early to early |                  |
| <input type="radio"/> 3 - early               | Cilena, Courage  |
| <input type="radio"/> 4 - early to medium     |                  |
| <input type="radio"/> 5 - medium              | Laura, Nicola    |
| <input type="radio"/> 6 - medium to late      |                  |
| <input type="radio"/> 7 - late                | Avano            |
| <input type="radio"/> 8 - late to very late   |                  |
| <input type="radio"/> 9 - very late           | Producent, Kuras |



**05 . 05 . Tuber: colour of skin (34) \***

- |  |                   |
|--|-------------------|
| <input type="checkbox"/> 1 - light beige         | Nadine            |
| <input type="checkbox"/> 2 - yellow              | Solist            |
| <input type="checkbox"/> 3 - reddish brown       | SF Balu           |
| <input type="checkbox"/> 4 - light red           | Rosalind          |
| <input type="checkbox"/> 5 - medium red          | Laura             |
| <input type="checkbox"/> 6 - dark red            | Romanze           |
| <input type="checkbox"/> 7 - red parti-coloured  | Cara              |
| <input type="checkbox"/> 8 - blue                | Valfi             |
| <input type="checkbox"/> 9 - blue parti-coloured | Catriona, Kestrel |

**06 . Similar varieties and differences from these varieties**

Please note that information on similar varieties may help to identify comparable varieties and can avoid an additional period of testing.

**06 . 01 . Are there any similar varieties known? \***

- Yes  
 No

**06 . 02 . Similar varieties and differences from these varieties: \***

Denomination of similar variety	Characteristic in which the similar variety is different	State of expression of similar variety	State of expression of candidate variety

**07 . Additional information which may help to distinguish the variety \*****07 . 01 . Resistance to pests and diseases \***

- Yes, specify  
 No

**07 . 02 . In addition to the information provided in sections 05 and 06, are there any additional characteristics which may help to distinguish the variety? \***

- Yes, specify  
 No



Breeder's Ref.

**07 . 03 . Are there any special conditions for growing the variety or conducting the examination? \***

Yes, specify

No

**07 . 04 . Other information \***

Yes, specify

No

---

**08 . GMO-information \***

**08 . 01 . GMO-information required \***

The variety represents a Genetically Modified Organism within the meaning of Article 2(2) of Council Directive EC/2001/18 of 12/03/2001.

Yes

If yes, please attach in point 08.02 a copy of the written attestation of the responsible authorities stating that a technical examination of the variety under Articles 55 and 56 of the Basic Regulation does not pose risks to the environment according to the norms of the above-mentioned Directive.

No

**08 . 02 . In case of GMO, joint attestation of the responsible authorities stating that a technical examination of the variety under Articles 55 and 56 of the Basic Regulation does not pose risks to the environment according to the norms of the above-mentioned Directive.**

---

**09 . Information on plant material to be examined**

The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc. Consequently the plant material to be examined should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

**09 . 01 . Micro-organisms (e.g. virus, bacteria, phytoplasma) \***

Yes, specify

No

**09 . 02 . Chemical treatment (e.g. growth retardant or pesticide) \***

Yes, specify

No

**09 . 03 . Tissue culture \***

Yes, specify

No

**09 . 04 . Other factors \***

Yes, specify

No



Breeder's Ref.

---

**10 . Possible place of the technical examination**

In case the CPVO needs to arrange a technical examination for your candidate variety, there might be more than one examination office entrusted by the CPVO to carry it out. In this case, the Office will decide on the place of the technical examination but you might wish to express a preference in respect of an examination office. The list of entrusted examination offices for that species can be found in the S2/S3 in which you will also find further information about submission of plant material and deadlines for numerous species:CPVO (plantvarieties.eu)

**10 . 01 . Country where the examination could take place**

Country

---

**DECLARATIONS \***

I/we hereby declare that to the best of my/our knowledge the information given in this form is complete and correct.

Place

Date

Name

Signature

