

Udbytte

hkg/ha korrigeret til 85% tørstof

Led	Sortskode	Sort	NS Abilcigård	Tystofte	Koldkærgård	GNS/AVG	ifht/rel
			Antal fs:		3	3	
1	9040	Blanding	97.6	102.5	75.6	91.9	100
2	21228	Dominik	97.2	89.3	75.3	87.3	95
3	26720	Symphony	99.4	98.0	78.6	92.0	100
4	31038	Nemesis	101.7	90.9	76.7	89.8	98
5	32025	Lion AV	91.3	96.8	69.1	85.7	93
6	32043	Caddy	96.1	97.0	81.1	91.4	99
7	33605	Magellan AA	101.1	97.6	77.3	92.0	100
8	34442	Scotty	94.6	106.8	74.1	91.8	100
9	35413	Fritz	100.7	95.2	72.4	89.4	97
10	35455	Jacky	92.2	107.5	73.1	90.9	99
11	35968	RGT Skara	99.1	97.8	77.3	91.4	99
12	36049	NOS Conrad	100.0	99.9	80.3	93.4	102
13	36833	NOS 81919-10	100.3	100.2	77.4	92.6	101
14	37907	BOR 20029	101.7	95.6	79.2	92.2	100
15	38008	NOS 81913-11	96.4	105.7	74.0	92.0	100
16	38009	NOS 81930-02	96.0	97.1	77.7	90.3	98
17	38012	Caledon	99.1	109.0	71.6	93.2	101
18	39087	NORD 24/1415HA	98.8	95.1	75.4	89.8	98
19	39129	Waran	99.3	100.3	73.6	91.1	99
20	39130	Hanstad	97.9	97.7	81.7	92.4	101
21	39192	NOS 82003-16	100.8	89.7	76.1	88.9	97
22	9070	Gns af sorter på Sortslisten	99.7	99.0	79.5	92.7	101
9991	99991	LSD 0.05	5.0	3.9	3.8	2.5	3
9992	99992	GNS UDBYTT	98.2	98.6	76.1		

Observationsparceller

Sygdom bedømt, pct dækning Sygdomme skala 1,-9

Bladplet		Meldug	
9	13	9	13
3,8	10,0	6,0	6,0
2,3	12,0	4,0	6,0
3,1	12,0	5,0	6,0
2,7	17,0	5,0	7,0
3,1	18,0	5,0	7,0
3,7	15,0	6,0	7,0
3,0	10,0	5,0	6,0
3,9	0,0	6,0	1,0
3,7	11,0	6,0	6,0
3,9	0,0	6,0	1,0
2,9	8,0	5,0	6,0
2,1	10,0	4,0	6,0
4,9	7,0	7,0	5,0
2,2	15,0	4,0	7,0
4,1	0,0	6,0	1,0
3,1	12,0	5,0	6,0
3,4	0,0	6,0	1,0
1,8	13,0	3,0	7,0
2,5	12,0	4,0	6,0
2,2	15,0	4,0	7,0
3,2	14,0	5,0	7,0
2,6	11,0	5,0	6,0

Dyrkningsegenskaber

Nedknækning strå, 0-10		Nedknækning strå, 1-9		Strå længde, cm		Skridning dato	
1	1	6	5	1	1	6	5
9,0	9,0	111	4/6	9,0	9,0	95	3/6
9,0	9,0	111	4/6	9,0	9,0	101	5/6
8,0	8,0	101	5/6	9,0	9,0	104	3/6
9,0	9,0	105	4/6	9,0	9,0	107	3/6
9,0	9,0	114	4/6	10,0	9,0	93	2/6
7,0	7,0	106	4/6	9,0	9,0	102	3/6
9,0	9,0	106	6/6	9,0	9,0	104	3/6
9,0	9,0	108	6/6	7,0	7,0	106	3/6
8,0	8,0	107	5/6	8,0	8,0	105	1/6
7,0	7,0	103	4/6	9,0	9,0	109	3/6
9,0	9,0	108	5/6	8,0	8,0	107	4/6
9,0	9,0	109	5/6	9,0	9,0	109	5/6

Udbytteforsøg

Kvalitetsegenskaber

Kornvægt, g/1000 kerner		Rumvægt kg/hl		Protein, pct	
2	3	3	3	3	3
37.4	54.1	10.4			
33.0	52.7	11.2			
39.8	53.8	10.2			
39.5	53.6	10.7			
35.3	53.9	10.9			
32.5	54.4	10.5			
36.9	54.6	9.9			
35.4	53.7	10.6			
38.2	54.4	10.3			
38.2	55.1	10.2			
32.1	54.2	10.7			
38.1	51.9	10.1			
34.7	51.1	10.3			
34.6	54.5	9.6			
40.9	54.9	10.4			
34.7	52.2	9.9			
35.0	54.2	10.5			
32.5	53.8	10.7			
32.1	52.7	10.6			
36.2	54.3	10.4			
38.4	53.5	10.6			
38.9	52.8	10.1			

Sejet er kasseret pgra uens plantebestand efter etablering

Udbytte i hkg/ha korrigeret til 85 % tørstof

NS Abildgård	Tystofte	Koldkærgård	Gns/AVG	rk-flge
104 Nemesis	106 Caledon	108 Hanstad	102 NOS Conrad	1
104 BOR 20029	105 Jacky	107 Caddy	101 Caledon	2
104 Magellan AA	104 Scotty	106 NOS Conrad	101 Gns af sorter	3
103 NOS 82003-16	103 NOS 81913-11	105 Gns af sorter	101 NOS 81919-10	4
103 Fritz	102.5 Blanding	105 BOR 20029	101 Hanstad	5
103 NOS 81919-10	98 Waran	104 Symphony	100 BOR 20029	6
102 NOS Conrad	98 NOS 81919-10	103 NOS 81930-02	100 NOS 81913-11	7
132 Gns af sorter	97 NOS Conrad	102 NOS 81919-10	100 Symphony	8
102 Symphony	131 Gns af sorter	102 Magellan AA	100 Magellan AA	9
102 Waran	96 Symphony	102 RGT Skara	91.9 Blanding	10
102 RGT Skara	95 RGT Skara	101 Nemesis	100 Scotty	11
102 Caledon	95 Hanstad	101 NOS 82003-16	99 RGT Skara	12
101 NORD 24/1415HA	95 Magellan AA	75.6 Blanding	99 Caddy	13
100 Hanstad	95 NOS 81930-02	100 NORD 24/1415HA	99 Waran	14
97.6 Blanding	95 Caddy	100 Dominik	99 Jacky	15
100 Dominik	94 Lion AV	98 Scotty	98 NOS 81930-02	16
99 NOS 81913-11	93 BOR 20029	98 NOS 81913-11	98 Nemesis	17
98 Caddy	93 Fritz	97 Waran	98 NORD 24/1415HA	18
98 NOS 81930-02	93 NORD 24/1415HA	97 Jacky	97 Fritz	19
97 Scotty	89 Nemesis	96 Fritz	97 NOS 82003-16	20
94 Jacky	88 NOS 82003-16	95 Caledon	95 Dominik	21
94 Lion AV	87 Dominik	91 Lion AV	93 Lion AV	22
7 LSD 0.05	5 LSD 0.05	5 LSD 0.05	3 LSD 0.05	

Translations

Afgrødehøjde	<i>Crop height</i>	Standardkvalitet	<i>Standard quality</i>
Blomstring	<i>Flowering</i>	Stivelsesindhold	<i>Starch content</i>
Blødgøring	<i>Softening</i>	Strå længde, cm	<i>Straw length</i>
Brunrust	<i>Brown rust (Puccinia recondita)</i>	Udbytte	<i>Yield</i>
Brødhøjde	<i>Bread height</i>	Vandoptagelse	<i>Water absorption</i>
Brødvolumen	<i>Bread volume</i>		
Bygrust	<i>Barley Rust (Puccinia hordei)</i>		
Dyrkningsegenskaber	<i>Agronomic traits</i>		
EFOSi	<i>Enzyme digestible organic matter at ileum</i>		
EFOSsvin	<i>Enzyme digestible organic matter in pigs</i>		
Erucasyre	<i>Erucic acid</i>		
FEso pr. hkg	<i>Feed units, adult pigs</i>		
FEsv pr. hkg	<i>Feed units, growing pigs</i>		
fht	<i>Index</i>		
Faldtal	<i>Falling number</i>		
Foderkvalitet	<i>Feed quality</i>		
Frøkvalitet	<i>Seed quality</i>		
Frøvægt	<i>Seed weight</i>		
Glucosinolatindhold	<i>Glucosinolate content</i>		
Gluten i kerner (14% vand)	<i>Gluten content in grains at 14 % water</i>		
Gns.	<i>Average</i>		
Gråplet/brunplet	<i>Septoria tritici/Stagonospora nodorum</i>		
Gulrust	<i>Yellow rust (Puccinia striiformis)</i>		
hkg/ha korrigeret til 85 % tørstof	<i>hkg/ha adjusted to 85% dry matter</i>		
Hvedebladplet	<i>Tan spot, DTR (Pyrenophora tritici-repentis)</i>		
Karakter	<i>Score</i>		
Kernekvalitet	<i>Grain quality</i>		
Klæbrighed	<i>Stickyness</i>		
Kornvægt, mg pr. korn	<i>Thousand kernel weight (mg/kg)</i>		
Kvalitetsegenskaber	<i>Quality traits</i>		
Led	<i>Entry</i>		
Lejesæd	<i>Lodging</i>		
Linolénsyre	<i>Linolenic acid</i>		
Linolsyre	<i>Linoleic acid</i>		
Meldug	<i>Mildew (Erysiphe graminis)</i>		
Meludbytte	<i>Flour yield</i>		
Modning, dato	<i>Ripeningdate</i>		
Nedknækning, aks	<i>Necking</i>		
Nedknækning, strå	<i>Brackling</i>		
Observations-parceller	<i>Observation-plots</i>		
Olieindhold	<i>Oil content</i>		
Oliesyre	<i>Oleic acid</i>		
Plantehøjde	<i>Plant height</i>		
Proteinindhold, pct.	<i>Protein content</i>		
Ramularia	<i>Ramularia (Ramularia collo-cygni)</i>		
Rumvægt, g pr. liter	<i>Specific weight</i>		
Sedimentation	<i>Zeleny sedimentation value</i>		
Skala	<i>Scale</i>		
Skoldplet	<i>Leaf Blotch (Rhynchosporium secalis)</i>		
Sort	<i>Variety</i>		
Sort., pct. kerner > 2,5 mm	<i>Grading, pct. kernels > 2.5 mm</i>		
Sort., pct. kerner > 2,8 mm	<i>Grading, pct. kernels > 2.8 mm</i>		
Sortskode	<i>Variety code</i>		
Stabilitet	<i>Stability</i>		