



Frøanalyselaboratorium autoriseret af TystofteFonden

## DLF Beet Seed frøanalyselaboratorium

Autorisationen omfatter følgende analyser

Art	Renhed / antal	Spiring	Vitalitet
<b>Sædekorn</b>			
Alm. byg, <i>Hordeum vulgare</i>	x	x	x
Alm. havre, <i>Avena sativa</i>			
Alm. hvede, <i>Triticum aestivum</i>			
Alm. kanariegræs, <i>Phalaris canariensis</i>			
Alm. rug, <i>Secale cereale</i>			
Durumhvede, <i>Triticum durum</i>			
Majs, <i>Zea mays</i>	x		
Nøgen havre, <i>Avena nuda</i>			
Purhavre, <i>Avena strigosa</i>			
Spelt, <i>Triticum spelta</i>			
Triticale, xTriticosecale			
<b>Græsser</b>			
Alaskahejre, <i>Bromus sitchensis</i>		x	
Alm. draphavre, <i>Arrhenatherum elatius</i>		x	
Alm. guldhavre, <i>Trisetum flavescens</i>		x	
Alm. hundegræs, <i>Dactylis glomerata</i>		x	
Alm. hvene, <i>Agrostis capillaris</i>			
Alm. rajgræs, <i>Lolium perenne</i>	x	x	
Alm. rapgræs, <i>Poa trivialis</i>			
Amerikansk hejre, <i>Bromus catharticus</i>		x	
Bakkesvingel, <i>Festuca trachophylla</i>	x	x	
Bermudagræs, <i>Cynodon dactylon</i>		x	
Engrapgræs, <i>Poa pratensis</i>			
Engrævehale, <i>Alopecurus pratensis</i>		x	
Engsvingel, <i>Festuca pratensis</i>		x	
Enårig rapgræs, <i>Poa annua</i>			
Finbladet svingel, <i>Festuca filiformis</i>	x	x	

Fåresvingel, <i>Festuca ovina</i>	x	x
Hundehvene, <i>Agrostis canina</i>		
Hybridrajgræs, <i>Lolium ×boucheanum</i>	x	x
Italiensk rajgræs, <i>Lolium multiflorum</i>	x	x
Knoldrottehale, <i>Phleum nodosum</i>		
Krybhvene, <i>Agrostis stolonifera</i>		
Lundrapgræs, <i>Poa nemoralis</i>		
Rajsvingel, <i>×Festulolium</i>	x	x
Rød svingel, <i>Festuca rubra</i>	x	x
Stortoppet hvene, <i>Agrostis gigantea</i>		
Stortoppet rapgræs, <i>Poa palustris</i>		
Strandsvingel, <i>Festuca arundinacea</i>	x	x
Timoté, <i>Phleum pratense</i>		
Westerwoldisk rajgræs, <i>Lolium multiflorum</i> var. <i>Westerwoldicum</i>	x	x
<b>Bælgplanter</b>		
Aleksandrinerkløver, <i>Trifolium alexandrinum</i>	x	x
Alm. buketorn, <i>Trigonella foenum-graecum</i>		
Alm. kællingetand, <i>Lotus corniculatus</i>		x
Alsikekløver, <i>Trifolium hybridum</i>	x	x
Blodkløver, <i>Trifolium incarnatum</i>	x	x
Blå stregbælg, <i>Galega orientalis</i>	x	x
Foderesparsette, <i>Onobrychis viciifolia</i>		x
Fodervikke, <i>Vicia sativa</i>		
Gul lupin, <i>Lupinus luteus</i>		
Havebønne, <i>Phaseolus vulgaris</i>		
Haveært, <i>Pisum sativum</i>		
Hestebønne, <i>Vicia faba</i>		
Humlesneglebælg, <i>Medicago lupulina</i>		x
Hvid lupin, <i>Lupinus albus</i>		
Hvidkløver, <i>Trifolium repens</i>	x	x
Lucerne, <i>Medicago sativa</i>	x	x
Markært, <i>Pisum sativum</i>		
Omvendt kløver, <i>Trifolium resupinatum</i>	x	x
Pralbønne, <i>Phaseolus coccineus</i>		
Rød hanekløver, <i>Hedysarum coronarium</i>	x	x
Rødkløver, <i>Trifolium pratense</i>	x	x
Sandlucerne, <i>Medicago ×varia</i>	x	x
Sandvikke, <i>Vicia villosa</i>		
Smalbladet lupin, <i>Lupinus angustifolius</i>		
Sojabønne, <i>Glycine max</i>		
Ungarsk vikke, <i>Vicia pannonica</i>		
Valsk bønne, <i>Vicia faba</i>		
Ært, <i>Pisum</i> sp.		

<b>Andre arter</b>		
Alle kålarter, <i>Brassica oleracea</i>	x	x
Alm. agurk, <i>Cucumis sativus</i>		
Alm. asparges, <i>Asparagus officinalis</i>	x	
Alm. cikorie, <i>Cichorium intybis</i>		
Alm. fennikel, <i>Foeniculum vulgare</i>		
Alm. honningurt, <i>Phacelia tanacetifolia</i>		
Alm. hør, <i>Linum usitatissimum</i>		
Alm. persille, <i>Petroselinum crispum</i>		
Alm. solsikke, <i>Helianthus annuus</i>		
Artiskok, <i>Cynara cardunculus</i>		
Aubergine, <i>Solanum melongena</i>		
Bede, <i>Beta sp.</i>	x	x
Bladbede, <i>Beta vulgaris</i>	x	x
Bladselleri, <i>Apium graveolens</i>		
Centnergræskar, <i>Curcurbita maxima</i>		
Cikorierod, <i>Cichorium intybus</i>		
Cikoriesalat, <i>Cichorium intybus</i>		
Endivie, <i>Cichorium endivia</i>		
Foderbede, <i>Beta vulgaris var. Rapacea</i>	x	x
Fodermarvkål, <i>Brassica oleracea var. medullosa</i>	x	x
Gul sennep, <i>Sinapis alba</i>		x
Hamp, <i>Cannabis sativa</i>		
Havegulerod, <i>Daucus carota</i>		
Havekørvel, <i>Anthriscus cerefolium</i>		
Haverabarber, <i>Rheum rhabarbarum</i>	x	
Havesalat, <i>Lactuca sativa</i>		
Haveskorzoner, <i>Scorzoneria hispanica</i>		
Hvidløg, <i>Allium sativum</i>		
Julesalat, <i>Cichorium intybus</i>		
Kardon, <i>Cynara cardunculus</i>		
Kepaløg, <i>Allium cepa</i>		
Kinakål, <i>Brassica rapa</i>	x	x
Knoldselleri, <i>Apium graveolens</i>		
Kommen, <i>Carum carvi</i>		
Kål/raps, <i>Brassica sp./Brassica napus</i>	x	x
Kålroe, <i>Brassica napus var. napobrassica</i>	x	x
Majroe, <i>Brassica rapa</i>	x	x
Mandelgræskar, <i>Curcurbita pepo</i>		
Melon, <i>Cucumis melo</i>		
Oliehør, <i>Linum usitatissimum</i>		
Olieræddike, <i>Raphanus sativus</i>		x
Opiumvalmue, <i>Papaver somniferum</i>		x
Pibeløg, <i>Allium fistulosum</i>		

Porre, <i>Allium porrum</i>		
Purløg, <i>Allium schoenoprasum</i>		
Radise, <i>Raphanus sativus</i>		x
Rybs, <i>Brassica rapa</i>	x	x
Ræddike, <i>Raphanus sativus</i>		x
Rødbede, <i>Beta vulgaris</i>	x	x
Sareptasennep, <i>Brassica juncea</i>		x
Skalotteløg, <i>Allium cepa</i>		
Sort sennep, <i>Brassica nigra</i>		x
Spansk peber, <i>Capsicum annuum</i>		
Spinat, <i>Spinacea oleracea</i>	x	
Spindhør, <i>Linum usitatissimum</i>		
Squash, <i>Curcubita pepo</i>		
Sukkerroe, <i>Beta vulgaris</i> var. <i>altissima</i>	x	x
Tandfri vårsalat, <i>Valerianella locusta</i>		
Tomat, <i>Lycopersicon esculentum</i>		
Vandmelon, <i>Citrullus lanatus</i>		